

WorldPrime
EXPORT LLP
(An ISO 9001:2015 & WHO-GMP Certified Co)



“AN
ISO 9001- 2015
WHO - GMP
CERTIFIED CO.”



“WHEREVER THE ART OF
MEDICINE IS LOVED,
THERE IS ALSO A LOVE FOR
HUMANITY

NEUROLOGY
ONCOLOGY
GYNAECOLOGY
HIV
INJECTIONS
SKIN-CARE

COMPANY PROFILE



We are dynamic and fast growing Pharmaceutical Company having more than 9 year of marketing and manufacturing experience. We have been accredited with ISO-9001:2015 and manufacture as per WHO guidelines. It is a GMP Certified Unit with a total quality management and In-house Testing Laboratory.

We are progressively focusing on high growth potential segments like Vaccines and Biogenetics which will add new depths to our existing product pipeline.



PRODUCT CATEGORY

CARDIO- VASCULAR

ANTI-DIABETIC

ANTI - BIOTICS

HEALTH SUPPLEMENT

ANTI-INFLAMMATORY

SYRUPS/DROPS

GASTRIC

DUSTING POWDER

CREAM/OITMENTS

INJECTIBLES

HIV

NEURO/ONCOLOGY

MISCELLENEOUS

GYNAECOLOGY



CITIK-P



Each film coated tablet contains : Citicoline sodium IP 500 MG + Piracetam IP 800 MG
Packing : 10X1X10TAB
Indication : Cerebral injury, memory & dementia, stroke, degenerative cns disorders

CITIK-500



Each film coated tablet contains : Citicoline sodium IP 500 MG
Packing : 10X10 TAB
Indication : Cerebral injury, memory & dementia, stroke, degenerative cns disorders

AZATHIPRIME-50



Each film coated tablet contains : Azathioprine IP 50 MG
Packing : 20X10 TAB
Indication : Azathioprine is used to prevent organ rejection in people who have received a kidney transplant. It is usually taken along with other medications to allow your new kidney to function normally.

PRIMEZIL-5/10



Each film coated tablet
Contains : Donepezil Hcl 5 MG
Packing : 10X10 TAB
Indication : Mild to moderate alzheimer disease

TABLETS



DIVAPRIME-250/500/750



Each film coated extended release tablet
Contains : Divalproex sodium IP 250 MG
Packing : 10X10 TAB
Indication : Complex partial seizures, bipolar disorders, rapid cyclic mania, euphoric mania, migraine prophylaxis

EPAPRIME-M



Each film coated tablet contains: Epalrestat 50 MG + Methylcobalamin 500 MCG
Packing : 10X10 TABS (Aluminium Foil)
Indication : Epalrestat+Methylcobalamin/Mecobalamin is used in the treatment of Diabetic nerve pain.

ESCI PRIME-10/20




Each film coated tablet contains: Escitalopram IP 10 MG
Packing : 10X10 TABS (ALU-ALU)
Indications : Treatment Of Adults And Children Of Age With Major Depressive Disorder And Generalised Anxiety Disorder

PRIMEZINE- 5/10



Each uncoated tablets contains : Flunarizine 10 MG
Packing : 10X10TAB
Indication : This medication is used to prevent migraine headaches. It is effective in reducing the frequency of migraine attacks and to a lesser extent,



GABAPRIME-100/300/600



Each film coated tablet contains : Gabapentin USP 100 MG

Packing : 20X10TAB

Indication : Gabapentin is used with other medications to prevent and control seizures. It is also used to relieve nerve pain following shingles (a painful rash due to herpes zoster infection) in adults.

LIVET-250/500/750/1000



Each film coated tablet Contains : Levetiracetam USP 250 MG

Packing : 10X10TAB

Indication : It is a medication used to treat epilepsy. It is used for partial onset, myoclonic, or tonic-clonic seizures.

GABAPRIME-M



Each film coated tablets contains : Gabapentin 300MG + Mecobalamin 500 MCG

Packing : 10X10 TAB

Indication : It is used with other medication to prevent and control seizures.

GABAPRIME-N



Each film coated tablets contains : Gabapentin 400 MG + Nortriptyline 10 MG

Packing : 10X1X10 TAB

Indication : Neuropathic pain is relieved more effectively by combination treatment with the anticonvulsant gabapentin and the antidepressant nortriptyline than by treatment with either drug alone

TABLETS



LACOPRIME-50/100



Each film coated tablet contains: Lacosamide 50 MG
Packing :10X1X10 TABS (BLISTER PACK)
Indications :It is an anticonvulsant compound approved for the adjunctive treatment, as well as, conversion to monotherapy and monotherapy treatment of partial-onset seizures and neuropathic pain.

CARBAPRIME -150/300/600




Each film coated tablet Contains : Oxcarbazepine IP 300 MG
Packing : 10X10TAB
Indication : Oxcarbazepine is used alone or with other medications to treat seizure disorders (epilepsy).

CARNIPRIME-500




Each film coated tablet contains : Levocarnitine USP 500 MG
Packing : 10X10 TAB
Indication : This medication is a diet supplement used to prevent and treat low bloodlevels of carnitine.

PRIMEDYL-2



Each uncoated tablet contains: Trihexyphenidyl hydrochloride IP 2 MG
Packing :4X5X10 TABS (BLISTER PACK)
Indications : It is indicated as an adjunct treatment of all forms of parkinsonism. Additionally, it is indicated for the control of extrapyramidal disorders

TABLETS



PRIMEMAT-50/100




Each film coated tablet contains : Topiramate 50 MG

Packing : 10X10TAB

Indication : Topiramate is used alone or with other medications to prevent and control seizures (epilepsy). This medication is also used to prevent migraine headaches and decrease how often you get them.

PRIMEPAROX-12.5/25/37.5



Each enteric coated sustain release tablet contains : Paroxetine HCl Hemihydrate BP 25 MG

Packing : 10X10TAB

Indication : Paroxetine is used to treat depression, panic attacks, obsessive-compulsive disorder (OCD), anxiety disorders, and post-traumatic stress disorder.

TABLETS

PRIMEGIN-5/25/50/100DT




Each uncoated dispersible tablet contains: Lamotrigine IP 25 MG
Packing :20X10 TABS (BLISTER PACK)
Indications : It is indicated for the maintenance treatment of bipolar I disorder to delay the time to occurrence of mood episodes (depression, mania, hypomania, mixed episodes) in adults.

PRIMETOIN-100



Each film coated tablet Contains : Phenytoin Sodium 100 MG
Packing : 1X100TAB
Indication : Phenytoin is used to prevent and control seizures (also called an anticonvulsant or antiepileptic drug).

PRIMEPORATE-300 / 500



Each film coated controlled release tablet Contains : Sodium Valproate IP 200 MG + Valproic acid IP 87 MG
Packing : 10X10TAB
Indication : Treatment for epilepsy and bipolar disorder and to prevent migraine headaches

PRIMEFINIL-100/200




Each film uncoated tablet contains: Modafinil 200 Mg
Packing :10X10 TABS (ALUMINIUM FOIL)
Indications : It is indicated to improve wakefulness in adult patients with excessive sleepiness associated with narcolepsy, obstructive sleep apnea, and shift work disorder.

TRIPTYPRIME-25



Each film coated tablet contains: Nortriptyline 25 MG
Packing :10X10 TABS (BLISTER PACK)
Indications : This medication is used to treat mental/mood problems such as depression. It may help improve mood and feelings of well-being, relieve anxiety and tension, and increase your energy level.

NEUROPRIME-D3



Each Film Coated Tablet contains: Methylcobalamin -15000mcg+Alpha lipoic Acid USP-100mg+ Folic Acid IP 1.5mg+Pyridoxine Hcl IP 3 mg+ Vitamin D3 1000 IU
Packing : 10X10 tablets
Indication : Methylcobalamin/Mecobalamin+Alpha Lipoic Acid+Vitamin B6 (Pyridoxine)+Folic Acid is used in the treatment of vitamin & mineral deficiency.

PREGABAPRIME-N



Each film coated tablet Contains : Pregabalin IP 75 MG + Nortriptyline Hcl IP 10 MG

Packing : 10X1X10TAB

Indication : Pregabalin+Nortriptyline is used in the treatment of neuropathic pain.

GABAPRIME-FOART



Each tablet contains Pregabalin 75mg , Mecobalamin 1500mcg , Nortriptyline Hydrochloride 10mg Tablets

Packing : 10X1X10 TAB

Indication : This medicine is useful in the treatment of nerve pain (neuropathic pain). This medicine calms the damaged or overactive nerves by acting on brain, thereby decreasing the pain sensation.

CETAPRIME-400/800/1200



Each film coated tablet Contains : Piracetam IP 400 MG

Packing : 10X10TAB

Indication : Piracetam has been used as a nootropic agent for the enhancement of memory in human beings.

QTPRIME-25/50/100/200/300



Each uncoated tablet contains :

Quetiapine Fumarate IP 25 MG

Packing : 10X10TAB

PRIMEDONE-2/4



Each film coated tablet contains : Risperidone USP 2 MG

Packing : 10X10TAB

Indication : In effect, it acts like a substitute for dopamine and this helps to ease your symptoms. It may be used alone, or in combination with other medicines to treat Parkinson's disease.

AMITRIPRIME-10/25/50/75/100



Each Film coated tablet contains : Amitriptyline Hcl 10 MG
Packing : 10X10TAB
Indication : This medication is used to treat mental/mood problems such as depression

CABERPRIME-0.25 / 0.5



Each uncoated tablet contains :
 Cabergoline 0.5 MG
Packing : 10X1X4 TAB

PRIMEVIR-100 / 150



Each film coated tablet contains : Lamivudine-100mg
Packing : 1X60TAB
Indication : This drug is used with other HIV medications to help control HIV infection. It helps to decrease the amount of HIV in your body so your immune system can work better.

CLOMIPRIME- 25 / 50 / 100




Each uncoated tablet contains : Clomiphene citrate 100 MG
Packing : 10X10TAB
Indication : Clomiphene citrate is indicated for the treatment of ovulatory dysfunction in women desiring pregnancy.

TANOPRIME-ET



Each tablet contains Lamivudine 300 mg + Tenofovir 300mg + Efavirenze 600 mg
Packing: 1X30 TABS
Indication : This combination product is used by itself to help control HIV infection. This product is a combination of 3 different drugs: efavirenz, lamivudine, and tenofovir.

WARFAPRIME-5



Each uncoated tablet contains : Warfarin sodium 5 MG
Packing : 20X10TAB
Indication : Warfarin is an anticoagulant (blood thinner). Warfarin reduces the formation of blood clots.

NERVEPRIME-75/150



Each hard gelatin capsule contains : Pregabalin 75 MG
Packing : 10X10CAP
Indication : This medication is used to treat pain caused by nerve damage due to diabetes or shingles (herpes zoster) infection.

NERVEPRIME-300



Each hard gelatin capsule contains : Pregabalin 300 MG
Packing : 10X10CAP
Indication : This medication is used to treat pain caused by nerve damage due to diabetes or shingles (herpes zoster) infection.

DULOPRIME-30



Each hard gelatin capsule contains : Duloxetine 30 MG
Packing : 10X10 CAP
Indication : Duloxetine is used with other medications to prevent and control seizures.

FLUXEPRIME-20



Each hard gelatin capsule contains : Fluoxetin-20MG
Packing : 10X10CAP
Indication : It is used for the treatment of major depressive disorder, obsessive-compulsive disorder (OCD), bulimia nervosa, panic disorder and premenstrual dysphoric disorder.

NERVEPRIME-M



Each hard gelatin capsule contains : Methylcobalamin 750 MCG + Pregabalin 75 MG
Packing : 10X1X10CAP
Indication : Pregabalin And Methylcobalamin Combination Is Used Various Nerve Pain Conditions Like Fibromyalgia Or Diabetic Neuropathy.

PRIMESYLAT-250/500



Each uncoated tablet contains: Etamsylate 500 MG

Packing : 10X10TAB

Indication : Etamsylate. It is believed to work by increasing capillary endothelial resistance and promoting platelet adhesion. It also inhibits biosynthesis and action of those prostaglandins which cause platelet disaggregation, vasodilation and increased capillary permeability.

MEDROPRIME



Each uncoated tablet contains : Medroxyprogesterone Acetate IP 10 MG

Packing : 10X10TAB

Indication : Medroxyprogesterone is a progestin (a form of progesterone), a female hormone that helps regulate ovulation (the release of an egg from an ovary) and menstrual periods.

MISOPRIME-200



Each uncoated tablet contains: Misoprostol IP 200 MCG

Packing : 10X10 TABS (ALU-ALU)

Indication : MITOTEC (misoprostol) is indicated for reducing the risk of NSAID (nonsteroidal anti-inflammatory drugs, including aspirin)-induced gastric ulcers in patients at high risk of complications from gastric ulcer.

NOREPRIME-N



Each uncoated tablet contains: Norethisterone IP 5 MG

Packing : 20X1X10X10 TABLETS (BLISTER PACK)

Indication : Norethisterone is a synthetic form of progestin and has a similar action to the female hormone, progesterone. It is used to treat menstrual disorders and abnormal vaginal bleeding in women caused due to hormonal imbalances.

PRIMEDIOL-2



Each uncoated tablet contains Estradiol Valerate USP 2mg

Packing : 10X1X28 Tablets

Indication : Treatment of moderate to severe vasomotor symptoms associated with the menopause. Treatment of moderate to severe symptoms of vulvar and vaginal atrophy associated with the menopause.



RIBAPRIME-200



Each hard gelatin capsule contains : Ribavirin 200mg

Packing : 10X10 CAP

Indication : Ribavirin is used in combination with other antiviral medications (such as interferon, sofosbuvir) to treat chronic (long-lasting) hepatitis C, a viral infection of the liver. Chronic hepatitis C infection can cause serious liver problems such as scarring (cirrhosis), or liver cancer.

PRIMEGESTRO- 100 / 200



Each soft gel capsule contains : Progesterone IP 200 MG


Packing : 10X1X10 CAP

Indication : Progesterone is used to cause menstrual periods in women who have not yet reached menopause but are not having periods due to a lack of progesterone in the body.

CAPSULES



RITOPRIME-200/50



Each film coated tablet contain : Lopinavir 200 MG and Ritonavir 50MG
Packing : 1X60 Tablets
Indication :The combination is used to treat (HIV) infection.Lopinavir and ritonavir are in a class of medications called protease inhibitors. They work by decreasing the amount of HIV in the blood.

TENOPRIME-EM




Each tablet contains Tenofvir Disoproxil Fumarate 300MG, Efavirenz 200 MG & Emtricitabine 200 MG
Packing :12X1X30 TABS (HDPE BOTTLE PACK)
Indication :Tenofvir DF belongs to a class (group) of HIVdrugs called nucleoside reverse transcriptase inhibitors(NRTIs). NRTIs block an HIV enzyme called reverse transcriptase.

TENOPRIME-300




Each film coated tablet contains : Tenofvir Disoproxil Fumarate 300 MG
Packing : 12X1X30 TAB
Indication : Tenofvir DF belongs to a class (group) of HIVdrugs called nucleoside reverse transcriptase inhibitors(NRTIs). NRTIs block an HIV enzyme called reverse transcriptase.

CARBIPRIME-5/10/20




Each uncoated tablet contains: Carbimazole IP 5 MG
Packing : 1X100 TABS (BOTTLE PACK)
Indications : This medication is a pro-drug, prescribed for hyperthyroidism. It reduces the amount of thyroid hormone.

METHIPRIME-5



Each uncoated tablets contain :Methimazole 5mg
Packing : 10X10 Tablets
Indication : Methimazole is used to treat hyperthyroidism, a condition that occurs when the thyroid gland produces too much thyroid hormone. It is also taken before thyroid surgery or radioactive iodine therapy

ASTROPRIME-1



Each film tablets contain :Anastrozole-1mg
Packing : 3X10 Tabs (Blister Pack)
Indications : It is used to treat breast cancer in post menopausal women. Adjuvant treatment of hormone receptor-positive early breast cancer; first-line treatment of hormone receptor-positive or unknown locally advanced or metastatic breast cancer; advanced breast cancer with disease progression after tamoxifen therapy.

ECOPRIME-200 / 400 / 800



Each film coated tablet contains : Acyclovir IP 200 MG
Packing : 10X10TAB
Indication : Herpes zoster infections, genital herpes, chickenpox

LETROPRIME-2.5



Each film coated tablet contains : Letrozol-2.5 MG
Packing : 10X3X10 TAB
Indication : This medication is used to treat certain types of breast cancer (such as hormone-receptor-positive breast cancer) in women after menopause.

HYDROXYPRIME-500




Each hard gelatin capsule contains: Hydroxyurea 500 MG
Packing : 10X10 TABS (BLISTER PACK)
Indications : Hydroford is indicated for the treatment of Resistant chronic myeloid leukemia. Locally advanced squamous cell carcinomas of the head and neck (excluding the lip) in combination with chemoradiation.

BUSCOPRIME



Each film coated tablet contains: Hyoscine Butylbromide IP 10 MG
Packing : 20X10 Tabs (Blister Pack)
Indications : Hyoscine is used to relieve smooth muscle spasms (cramps) in the stomach, intestines, in the bladder and urethra.

PRIME COLD



Each uncoated tablet contains : Cetirizine 5 MG, Paracetamol 325 MG, Phenylepherine 5 MG
Packing : 20X10TAB
Indication : Anticold tablet

PRIMEZIN-25 / 75



Each Uncoated tablet contains : Cinnarizine 25 MG
Packing : 10X5X10 TAB
Indication : Cinnarizine is predominantly used to treat nausea and vomiting associated with motion sickness, vertigo, Ménière's disease, or Cogan's syndrome

FINAPRIME-1/5



Each film coated tablet contains : Finasteride IP 1 MG
Packing : 10X10TAB
Indication : Treatment for benign prostatic hyperplasia and male pattern baldness

DEFLAPRIME-6 / 30



Each Uncoated Tablet contains : Deflazacort 6 MG
Packing : 10X10TAB
Indication : Deflazacort is a steroid that reduces inflammation in the body. Deflazacort is used to treat Duchenne muscular dystrophy in adults and children who are at least 5 years old

FINAPRIME-B



Each film coated tablet contains : Finasteride 1 MG + Biotin 10 MG
Packing : 10X1X10TAB
Indication : Treatment for benign prostatic hyperplasia and male pattern baldness

FLUCOPRIME-150 / 200 / 400



Each film coated tablet contain : Fluconazole-100 MG
Packing : 30X1X1 (Blister Pack) Tab
Indication : Fluconazole is an antifungal medicine. It's used to treat infections caused by different kinds of fungus. The most common cause of fungal infections is a yeast called candida

FEXOPRIME-120 / 180



Each film coated tablet contains : Fexofenadine Hcl 120 MG
Packing : 10X1X10TAB
Indication : Treatment for seasonal allergic rhinitis, urticaria

FEXOPRIME-M



Each film coated tablet contains : Fexofenadine Hcl 120 MG + Montelukast sodium IP 10 MG
Packing : 10X1X10TAB
Indication : It is indicated for relief of symptoms of allergic rhinitis [seasonal or perennial], prophylaxis in seasonal allergic rhinitis and in treatment of asthma.

IVERPRIME-3 / 6 / 12




Each uncoated tablet contain : Ivermectin USP 3 MG
Packing : 10X10 Tablets
Indication : Iverjohn (ivermectin) is indicated for the treatment of the following infections: Strongyloidiasis of the intestinal tract due to the nematode parasite Strongyloides stercoralis.

METHOPRIME-2.5 / 5 / 7.5 / 10 / 15



Each uncoated tablet Contains :
 Methotrexate IP 2.5 MG
Packing : 10X10TAB

FLAVOPRIME-200



Each uncoated tablet contains : Flavoxate Hydrochloride IP 200mg
Packing: 10X15 Tablets
INDICATION: Flavoxate hydrochloride tablets are indicated for symptomatic relief of dysuria, urgency, nocturia, suprapubic pain, frequency and incontinence as may occur in cystitis, prostatitis, urethritis, urethrocystitis/urethrotrigonitis.

KETOPRIME-200



Each uncoated tablet contains : Ketoconazole IP 200mg
Packing: 10X10 Tablets
Indication: ketojohn (ketoconazole) Tablets are indicated for the treatment of the following systemic fungal infections in patients who have failed or who are intolerant to other therapies: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, and paracoccidioidomycosis.

LEGEPRIME-72



Each film coated tablet contains : Levonorgestrel IP 1.5 MG
Packing : 20X1X1TAB
Indication : hormone used to control the birth method

LORAPRIME-10



Each uncoated tablet Contains : Loratadine-10 MG
Packing : 10X10TAB
Indication : This medication is an antihistamine that treats symptoms such as itching, runny nose, watery eyes, and sneezing from "hay fever" and other allergies.

PRIME SPAS



Each uncoated tablet contains : Mefenamic Acid 250+Dicyclomine -10MG
Packing : 20X10 TAB
Indication : Mefenamic acid is used for the short-term treatment of mild to moderate pain from various conditions. It is also used to decrease pain and blood loss from menstrual periods. Mefenamic acid is known as a nonsteroidal anti-inflammatory drug (NSAID).


PRIMECORT-10/20



Each uncoated tablet contains : Hydrocortisone 10 MG
Packing : 10X1X10 TAB
Indication : Hydrocortisone is a natural substance (corticosteroid hormone) made by the adrenal gland. It is used to treat conditions such as arthritis, blood / hormone / immune system disorders, skin and eye conditions, breathing problems, cancer, and severe allergies.



PRIMEHYDRO-12.50 / 25



Each uncoated tablet contains : Hydrochlorothiazide IP 12.5 MG

Packing : 20X10TAB

Indication : Treatment for high blood pressure and swelling due to fluid build up and decrease the risk of kidney stones

PRIMEHYDROXYL-10 / 25



Each film coated tablet contains : Hydroxyzine HCL 10MG

Packing : 10X15TAB

Indication : Hydroxyzine is used to treat itching caused by allergies. It is an antihistamine and works by blocking a certain natural substance (histamine) that your body makes during an allergic reaction. Hydroxyzine may also be used short-term to treat anxiety or to help you feel sleepy/relaxed before and after surgery.

PRIMEHYDROXYL-25




Each film coated tablet contains : Hydroxyzine HCL 25MG

Packing : 10X15TAB

Indication : Hydroxyzine is used to treat itching caused by allergies. It is an antihistamine and works by blocking a certain natural substance (histamine) that your body makes during an allergic reaction. Hydroxyzine may also be used short-term to treat anxiety or to help you feel sleepy/relaxed before and after surgery.

PRIME COLD



Each uncoated tablet contains : Levocetirizine 5 MG, Paracetamol 325 MG, Phenylephrine 5 MG
Packing : 20X10 TAB
Indication : Anticold tablet

PRIMESULFATE



Each film coated tablet contains: Sodium Picosulfate 10 MG
Packing : 4X5X10 TABS (Blister Pack)
Indications : Sodium picosulfate (also known as sodium picosulphate) is a contact stimulant laxative used as a treatment for constipation or to prepare the large bowel before colonoscopy or surgery.

TERBIPRIME-250 / 500



Each uncoated tablet contains: Terbinafine Hcl Usp 250 Mg
Packing : 10x1x7 Tabs (blister Pack)
Indications : It is used to treat certain types of fungal infections (e.g., fingernail or toenail). It works by stopping the growth of fungus. This medication belongs to a class of drugs known as antifungals.

MONTEPRIME-5 / 10



Each film coated tablet Contains : Montelukast sodium IP 10 MG
Packing : 10X10TAB
Indication : Treatment of asthma & allergic rhinitis, exercise-induced bronchoconstriction

MONTEPRIME-L



Each film coated tablet contains : Montelukast sodium IP 10 MG + Levocetirizine 5 MG
Packing : 10X10TAB
Indication : Treatment of asthma & allergic rhinitis, exercise-induced bronchoconstriction

VORIPRIME-200



Each film coated tablet contains: Voriconazole IP 200 Mg
Packing :10x1x4 Tabs (ALU-ALU)
Indications : Invasive Aspergillosis. Esophageal Candidiasis. Serious Fungal Infections Caused By Scedosporium Apiospermum And Fusarium Spp.

URIPRIME-25



Each uncoated tablet contains : Bethanechol chloride 25mg tablet
Packing : 10X10TAB
Indication : This medication is used to treat certain bladder problems such as the inability to urinate or empty the bladder completely due to certain causes (e.g., surgery, bladder muscle problems).

VALAPRIME-500 / 1000



Each Film coated tablet contains : Valacyclovir 500 MG
Packing : 10X1X3TAB
Indication : Valacyclovir is used to treat infections caused by certain types of viruses.

VELNAPRIME-XT 50

Each uncoated extended release tablet contains: Desvenlafaxine Succinate 50 MG
Packing : 10X10 TABS (Blister Pack)
Indications : It is indicated for the treatment of major depressive disorder (MDD). The efficacy of Venflexa-XT 50 has been established in four short-term and two maintenance studies in adult outpatients who met DSM-IV criteria for major depressive disorder.



ORAPRIME



Chlorhexidine Gluconate 0.2% W/W

Indication : Chlorhexidine gluconate is a germicidal mouthwash that reduces bacteria in the mouth. Chlorhexidine gluconate oral rinse is used to treat gingivitis (swelling, redness, bleeding gums). Chlorhexidine gluconate is usually prescribed by a dentist.

TEMSUPRIME 02./0.4



Tamsulosin HCL 0.2/0.4mg

TEMSUPRIME D/F



Tamsulosin IP 0.4 mg & Dutasteride IP 0.5 mg
Tamsulosin IP 0.4 mg & Finasteride IP 0.5 mg

L-THYROPRIME



- L-THYROPRIME-12.5** Thyroxine Sodium IP 12.5 MCG
- L-THYROPRIME-25** Thyroxine Sodium IP 25 MCG
- L-THYROPRIME-50** Thyroxine Sodium IP 50 MCG
- L-THYROPRIME-75** Thyroxine Sodium IP 75 MCG
- L-THYROPRIME-100** Thyroxine Sodium IP 100 MCG
- L-THYROPRIME-125** Thyroxine Sodium IP 125 MCG
- L-THYROPRIME-150** Thyroxine Sodium IP 150 MCG

TESTOPRIME-40



Each soft gelatin capsule contains : Testosterone Undercanoate 40mg Softgel
Packing : 10X1X10CAP
Indication : Testosterone injection is used in men and boys to treat conditions caused by a lack of this hormone, such as delayed puberty, impotence, or other hormonal imbalances.

OSELTAPRIME-30 / 45 / 75



Each hard gelatin capsule contain : Osetamivir IP 75 Mg
Packing : 10x1x10 Caps (Blister Pack)
Indications : It is indicated for the treatment of acute, uncomplicated illness due to influenza infection in patients 2 weeks of age and older who have been symptomatic for no more than 2 days.

ACETAPRIME-250




Each uncoated tablet contains: Acetazolamide IP 250 MG
Packing : 10X10 TABS (BLISTER PACK)
Indications : It is indicated for the prevention of symptoms associated with acute mountain sickness in climbers attempting rapid ascent and in those who are very susceptible to acute mountain sickness despite gradual ascent.

DISUPRIME-500



Each uncoated tablet contains : Disulfiram 500 MG
Packing : 20X4 TAB
Indication : Disulfiram is a drug used to support the treatment of chronic alcoholism by producing an acute sensitivity to ethanol (drinking alcohol).

ENTAPRIME-0.5/1



Each film coated tablet contains : Entecavir 0.5MG
Packing : 10X1X10 TAB
Indication : Entecavir is mainly used to treat chronic hepatitis B infection. It is also used to prevent HBV reinfection after liver transplant and to treat HIV patients infected with HBV.

ORLIPRIME-60/120



Each hard gelatin capsule contains : Orlistat 60 MG
Packing : 10X1X10CAP
Indication : This medication is used with a doctor-approved exercise, behavior change, and reduced-calorie diet program to help you lose weight.



MAKE YOUR HAIR *Shine*

upto 100%
dandruff - free



Ketoprime Gold Shampoo

Ketoconazole 2 % W/V + Zine Pyrithione 1% w/v

for clear and healthy scalp

Used to :
treat tinea versicolor
control flaking and scaling
itching of the scalp caused by dandruff.

 **FOR ALL HAIR TYPES**

SHAMPOO



SAFTYPRIME

Chlorhexidine gluconate, Solution (20%) IP 0.3%w/v, Certrimide IP 0.6% w/v

Indication : Saftyjon is a first aid treatment for minor wounds, burns and skin reactions. Our range of products can be used to help prevent infection in cuts, grazes, burns, scalds, shaving cuts, blisters, sores, insect bites and stings, chapped skin and spots.



Laundry
Sanitisation

Minor wounds
and cuts



Shaving
cuts

1 0 0 %

GERM PROTECTION

**BE SURE
BE SAFE**



100 ML



500 ML



1000 ML

ANTISEPTIC



PRIME. D3 - 3 LAC / 6 LAC




Each ml contains : Cholecalciferol 300000 IU

Packing : 10X5X1 ML

Indication : Vitamin D (ergocalciferol-D2, cholecalciferol-D3, alfalcaldol) is a fat-soluble vitamin that helps your body absorb calcium and phosphorus. Having the right amount of vitamin D, calcium, and phosphorus is important for building and keeping strong bones.

ARTESUNATE-60/120



Each vial contains: Artesunate IP 60 MG (with wfi 5ML & Sodium Bicarbonate 1ML)

Packing : 1X60 MG Vial

Indication : This medication is an antimalarial agent, prescribed for malaria.

PRIMEVIR -250/500



Each vial contains : Acyclovir Sodium eq. to Acyclovir 250 MG with WFI

Packing : 25X1X250mg

Indication : This medication is used in certain people to treat outbreaks of herpes simplex infection of the skin (e.g., genitals), mucous membrane areas (e.g., mouth, nose), or brain. It is also used in certain people to treat shingles infection.

BUSCOPRIME - 10



Each ml contains : Hyoscine Butylbromide IP 10 MG

Packing : 5X1 ML

Indication : Hyoscine belongs to the group of medications called antispasmodics. Hyoscine is used to relieve smooth muscle spasms (cramps) in the stomach and intestines and in the bladder and urethra. Hyoscine reduces spasms by relaxing smooth muscles within the stomach, intestines, bladder and urethra.

PRIMEZOLE



Each vial contains : Esomeprazole Sodium IV 40MG

Packing : 40MG

Indication : The primary uses of esomeprazole are gastroesophageal reflux disease, treatment and maintenance of erosive esophagitis, treatment of duodenal ulcers caused by H. pylori, prevention of gastric ulcers in those on chronic NSAID therapy, and treatment of gastrointestinal ulcers associated with Crohn's disease.

MOXY-PRIME CV1.2



Each vial contains : Amoxicillin 1000 MG + Clavulanic 200 MG

Packing : 1.2 GM

Indication : Amoxicillin is a penicillin antibiotic that fights bacteria. Amoxicillin is used to treat many different types of infection caused by bacteria, such as tonsillitis, bronchitis, gonorrhea and infection of ear, nose, throat, skin, or urinary tract.

PRIMESUCRO



Each ml contains : Ferric Hydroxide in Complex with Sucrose eq. to Elemental Iron 20 M

Packing : 10x1x5 ml

Indication : Treat the iron deficiency

LEVETIPRIME-500



Each 5 ml contains: Levetiracetam IP 500 MG

Packing : 1X5 ML

Indication : It is a medication used to treat epilepsy. It is used for partial onset, myoclonic, or tonic-clonic seizures. It is the S-enantiomer of etiracetam.

CORTIPRIME -100




Composition : Each vial

Contains : Hydrocortisone Sodium Succinate IP 100 MG

Packing : 25X1X100MG

Indication : Hydrocortisone is a topical steroid. It reduces the actions of chemicals in the body that cause inflammation, redness and swelling.



PROGESTEPRIME - 250/500



Each vital contains Hydroxyprogesterone 250 Mg Inj

Packing : 10X1X2 MI Ampoules

Indication : Hydroxyprogesterone is used to lower the risk of delivering a baby too early. Hydroxyprogesterone may also be used to treat amenorrhea (lack of menstruation), advanced uterine cancer, and abnormal bleeding due to an imbalance of the hormones.

CLINDA PRIME - 300/600



Each ml contains: Clindamycin Phosphate IP 150 MG

Packing : 10X1X2ML

Indications : This medication is used to treat acne. It helps to decrease the number of acne lesions. Clindamycin is an antibiotic which works by stopping the growth of bacteria.

PRIME CORT -40



Each 1 ml contains :
Triamcinolone Acetonide IP
40 MG

Packing : 30X1X1ML

Indication :
Triamcinolone is a topical steroid. It reduces the actions of chemicals in the body that cause inflammation, redness, and swelling. Triamcinolone topical is used to treat the inflammation caused by a number of conditions such as allergic reactions, eczema, and psoriasis.

PRIMEXONE - 250/500/1GM/2GM



Each vial contains : Ceftriaxone Sodium IP 1000 MG

Packing : 1X1000 MG

Indication : Ceftriaxone (ceftriaxone sodium and dextrose) Injection is an antibacterial drug used to treat conditions such as lower respiratory tract infections, skin and skin structure infections, urinary tract infections, pelvic inflammatory disease, bacterial septicemia, bone and joint infections, and meningitis.



LIGNOPRIME - A



Each vial contain : Lignocaine 2 % + Adrenaline
Packing : 1x30 ml
Indication : Local Anaesthesia by infiltration or nerve block injection.

CEFEPRIME



Each vial contains : Cefepime Hydrochloride IP 1000 MG
Packing : 1X1GM
Indication : Cefepime is used to treat a wide variety of bacterial infections. This medication belongs to a class of drugs known as cephalosporin antibiotics. It works by stopping the growth of bacteria.

LINCOPRIME - 300



Each ml contains :
Lincomycin Hcl IP 300 MG
Packing : 2ML
Indication : Lincomycin is used to treat severe bacterial infections in people who cannot use penicillin antibiotics. Lincomycin is used only for a severe infection. This medicine will not treat a viral infection such as the common cold or flu.

DICLOPRIME-AQ



Each ml contains : Diclofenac 75 MG with Water Base

Packing : 10X5X1 ML

Indication : Diclofenac is used to relieve pain, swelling (inflammation), and joint stiffness caused by arthritis. Reducing these symptoms helps you do more of your normal daily activities.

DICLOPRIME



Each ml contains : Diclofenac 25 MG

Packing : 10X5X3 ML

Indication : Diclofenac is used to relieve pain, swelling (inflammation), and joint stiffness caused by arthritis. Reducing these symptoms helps you do more of your normal daily activities.

OMEPRIME-40 MG



Each vial contains: Omeprazole Sodium IP 40 MG (with W.F.I)

Packing : 1X40 MG

Indications : It used to treat symptoms of gastroesophageal reflux disease(GERD) and other conditions caused by excess stomach acid. Omeprazole is also used to promote healing of erosive esophagitis (damage to your esophagus caused by stomach acid).

PRIMENOM-5 MG




Each vital contains Metoclopramide Hydrochloride IP 5 MG + Benzyl Alcohol IP 1.5% w/v

Packing : 10X2 ML Ampoules

Indication : It is used mostly for stomach and esophageal problems. It is used to treat and prevent nausea, vomiting and treat migraine headaches.

ARTEPRIME-40/80




Each vital contains Artemether-40 MG/ML

Packing : 10X8X1 MI

Indication : Artemether should be used for the treatment of severe falciparum malaria only where there is evidence that the antimalarial efficacy of quinine is declining.



VANCOPRIME-500 MG / 1MG




Each vial contains : Vancomycin Hcl 500 MG

Packing : 500MG

Indication : Vancomycin is used to treat an infection of the intestines caused by Clostridium difficile, which can cause watery or bloody diarrhea. It is also used to treat staph infections that can cause inflammation of the colon and small intestines.

MEROPRIME-500 MG / 1MG



Each vial contains : Sterile Meropenem IP 1 GM

Packing : 1X1GM

Indication : Meropenem is used to treat severe infections of the skin or stomach. Meropenem is also used to treat bacterial meningitis (infection of brain or spinal cord). Meropenem may also be used for purposes not listed in this medication guide.

PRIMESOLONE-1



Each ml contains : Methylprednisolone Acetate 40 MG

Packing : 30X1X1ML

Indication : Methylprednisolone is a steroid that prevents the release of substances in the body that cause inflammation. Methylprednisolone is used to treat many different conditions such as allergic disorders, skin conditions, ulcerative colitis, arthritis, lupus, psoriasis, or breathing disorders.

ONDAPRIME




Each ml contains : Ondansetron Hydrochloride 2 MG
Packing : 10X5X2 ML
Indication : Ondansetron blocks the actions of chemicals in the body that can trigger nausea and vomiting. Ondansetron is used to prevent nausea and vomiting that may be caused by surgery or by medicine to treat cancer (chemotherapy or radiation).

TORSEPRIME




Each ml contains : Torsemid USP 10MG (water for injection ip)
Packing : 5x2ml
Indication : Torsemid is used to reduce extra fluid in the body (edema) caused by conditions such as heart failure, liver disease, and kidney disease.

TRANEXAPRIME-500



Each 5 ml contains : Tranexamic Acid 500 INJ
Packing : 10X5X5 ML
Indication : Tranexamic acid belongs to the class of medications called antifibrinolytic agents. This medication is used to prevent or reduce bleeding in certain conditions, such as dental surgery in people with hereditary blood clotting disorders, cervical surgery, heavy menstrual bleeding, nose bleeds and bleeding inside the eye.

PRIMEMOL-IV



Each 100ml contains: Paracetamol IP 1000mg
Packing : 1000mg/100ml
Indications : Sytamol Iv 1000 MG Infusion is used to temporarily relieve fever and mild to moderate pain such as muscle ache, toothache, and backache.


PRIMETAZO 4.5



Each vial contains : Piperacillin Sodium 4 GM + Tazobactam Sodium 0.5 GM
Packing : 4.5GM
Indication : To reduce the development of drug-resistant bacteria and maintain the effectiveness of Piperacillin and Tazobactam for injection and other antibacterial drugs, Piperacillin and Tazobactam for injection should be used only to treat or prevent infections that are proven or strongly suspected to be caused by bacteria


FIGHTS SKIN INFECTIONS

CLOBEPRIME-GM



COMPOSITION : Clobetasol propionate 05% , Neomycin sulphate 0.5% Clotrimazole 1.0% Chlorocresol 0.1% w/w Cream
Packing : 24X1X10 GM
Indication : Clojohn-GM is used in the treatment of skin infections.

DERMIPRIME-K5



COMPOSITION : Ketoconazole, Neomycin Sulphate, Iodochlorhydroxyquinoline, Tolnaftate & Clobetasol Propionate Cream
Packing : 24X1X15 GM
Indication : This cream is used in the treatment of skin infections.

PRIMESCAB


Permethrin 5% Cream

Packing : 1X30 GM

Indications : It is an effective anti-parasitic medicine used to treat infestation of lice, ticks, fleas and mites on the scalp and the skin. It is also used to treat scabies in adults and children. It is used externally on the skin in the form of a cream, ointment, gel etc.



LIGNOPRIME-2% GEL



Lignocaine Hydrochloride IP 2.0% w/w

Packing : 1X30 GM

Indication : Lignocaine 2% Gel is an anaesthetic gel used as a lubricant for the insertion of instruments for medical procedures, such as catheters, and for the treatment of symptoms of painful inflammation of the urethra and bladder.

ISOPRIME- 05/10/20/30/40



Each soft gelatin capsule contains :
Isotretinoin 20 MG
Packing : 10X1X10CAP

PRIME-BACT



Mupirocin IP 2.0% w/w
Packing : 25X1X5 GM
Indication : Mupirocin is used as a topical treatment for bacterial skin infections, for example, furuncle, impetigo, open wounds, which are typically due to infection by Staphylococcus aureus or Streptococcus pyogenes.

CORTI-PRIME



Hydrocortisone Acetate 1% w/w Cream
Packing : 20X1X15 GM
Indication : This medication is used to treat a variety of skin conditions (e.g., eczema, dermatitis, allergies, rash). Hydrocortisone acetate reduces the swelling, itching, and redness that can occur in these types of conditions

DICLOPRIME-GEL



Linseed Oil BP 3.0%w/w + Diclofenac Diethylamine BP 1.16% w/w + Methyl Salicylate IP 10.0% w/w + Menthol IP 0.5 % w/w gel + Benzylalcohol 1.0% w/w
Packing : 20X1X30 GM
Indication : Used to relieve pain associated with recent muscle or joint injuries such as sprains, strains, or sports injuries.

DICLOPRIME SPRAY



Diclofenac Diethylamine 1.16% + Methyl Salicylate IP 10.00%, Diclofenac Sodium 1% 100 w/w, Linseed Oil BP 3.00% w/w, Menthol IP 5.00% w/w, Propellant 9.5% 100 w/w
Packing : 6X1X55 GM
Indication : Used to relieve pain associated with recent muscle or joint injuries such as spr

Live a **PAIN-FREE** Life



Lower back pain



Joint Pain



Sprain



Elbow pain

PRIMEFAST Pain Relief Gel

Linseed Oil BP 3.0%w/w + Diclofenac Diethylamine BP 1.16% w/w + Methyl Salicylate IP 10.0% w/w + Menthol IP 5.0% w/w Gel (30gm) + Benzylalcohol 1.0% w/w

- ✔ Relaxes muscle immediately
- ✔ Relieves inflammation fast
- ✔ Prompt relief with long action
- ✔ Effective relief from muscle spasms



MAKE YOUR LIFE EASY WITH FASTACE GEL

LOTIONS/OINTMENTS

LULIPRIME

SKIN TREATMENT

Cream | Soap | Lotion
(Luliconazole 1%)

PREVENTS
Fungal Growth



Athlete's Foot (Tinea Pedis)

Joint Inching (Tinea Cruris)

Ringworm (Tinea Corporis)

- ✔ Luliprime is an imidazole anti fungal agent
- ✔ It is approved by USFDA for the treatment of Tinea Pedis, Tinea Corporis and Tenia Cruris



LOTIONS/OINTMENTS




DISCOVER
the beauty
WITHIN

PRIMELUM

Podophyllum Resin 20 % W/v
+Benzoin Ip 10% W/v + Aloes Ip 2%W/v+
Ethanol Ip 95%w/v+ Methanol Ip 5.0% W/v Gel
Packing :1X10ML


Indication : Podolium Paint Lotion is used for Soft genital warts, Genital warts, Freckles, Acne, Burns, Lentigines, Microbial infection on living surface, Canker sores, Arterial ulcers, Abrasions and other conditions.



PRIMESCAB LOTION

Each 100ml contain:GammaBenzene HCL+ Cetrimide lotion
Packing : 100ML

Indication : Lindane , formerly known as gamma benzene hexachloride, is an insecticide and is used to treat scabies and lice infestations. Lindane cream and lotion are usually used to treat only scabies infestation. Lindane shampoo is used to treat only lice infestations. .



SKINCLEAR



Hydroquinone USP 2..0% w/w + Tretinoin BP 0.025% w/w +
Mometasone IP 0. 1% w/w

Packing : 12X1X15 GM

Indication : Fairness and skin glow

Tougher Treatment

for tough infections

CLOTRIPRIME POWDER



Composition : Clotrimazole Powder 1 % w/w

Packing : 1X100GM

Indication : Clotrimazole is an anti-fungal medication used to treat yeast infections of the vagina, skin, and mouth. It is commonly used for athlete's foot, jock itch and oral thrush.

TERBIRIPRIME POWDER



Composition : Terbinafine Hydrochloride (Dusting powder) 1% w/w

Packing : 1X50 GM

Indication : Terbijnohn Dusting Powder is used to treat a wide range of fungal infections of the skin and nails, including ringworm. It works by killing the fungus that causes the infection.

ITRAPRIME POWDER

Composition : Itraconazole Dusting Powder

Packing : 1X75 GM

Indication : Itrajohn Dusting Powder is an antifungal medicine. It may be used to treat infections such as ringworm, athlete's foot, fungal nappy rash, and fungal sweat rash.



DUSTING POWDER

How To Get Rid Of
Hair Problems?



MINOXIPRIME

2%


5%

10%

F

MINOXIPRIME : Minoxidil Topical Solution USP 2% , 5% , 10%
MINOXIPRIME - F : Minoxidil IP 5% & Finasteride IP 0.1% Tropical Solution

Indications :Minoxidil is indicated in the treatment of androgenic alopecia in males and females and stabilisation of hair loss in patients with androgenic alopecia, and also of alopecia areata.



Direction of use: Use this solution (1 ml) twice a day on clean and dry scalp. After applying, gently massage your scalp. Keep your hair dry for at least four hours after application.

SOLUTION

Great Results



KETOPRIME CT



Composition : Ketoconazole IP 2% W/W Cetrime IP 0.5% W/W
Packing : 1X75GM

Indication : ketoconazole provides relief from itching skin folds of inner thighs, waist, buttocks, underside of breast & armpits due to sweat retention, warmth, humidity, friction & simultaneous growth of resident organism

KETOPRIME SOAP



Ketoconazole IP 1% W/W Zinc Pyrithione IP 1% Pyrithione IP 1% W/W
Packing : 1X75GM

Indication : Ketoconazole topical is an antifungal medication that prevents fungus from growing on your skin. Ketoconazole topical is used to treat fungal infections of the skin such as athlete's foot, jock itch, ringworm, and seborrhea (dry, flaking skin).

PURENEEM SOAP



Neem + Tulsi + Aloe Vera

Packing : 1X75GM

Indication : Neem oil soap is a real treat for the skin, even for healthy skin. But skin problems are where it shines. Here are just some skin conditions where people have used neem soaps for centuries and with great results.

LULIPRIME SOAP




Composition : Luliconazole 0.1% w/w soap

Packing : 1X75 GM

Indication : Luliconazole is used to treat skin infections such as athlete's foot, jock itch, and ringworm. It is an antifungal that works by preventing the growth of the fungus. It used to treat skin infections such as athlete's foot, jock itch, and ringworm.

A TRUE PASSION FOR BETTER HEALTHCARE



WorldPrime
EXPORT LLP

MileStone, Near Zanzarda Cross Road, Junagadh 362001. Gujarat (INDIA)
Cell. +91 8866197888, +91 8866196888
sales@worldprimeexport.com