

WorldPrime
EXPORT LLP
(An ISO 9001:2015 & WHO-GMP Certified Co)



“AN
ISO 9001- 2015
WHO - GMP
CERTIFIED CO.”



“WHEREVER THE ART OF
MEDICINE IS LOVED,
THERE IS ALSO A LOVE FOR
HUMANITY

**INJECTIONS
SKIN-CARE**

COMPANY PROFILE



We are dynamic and fast growing Pharmaceutical Company having more than 9 year of marketing and manufacturing experience. We have been accredited with ISO-9001:2015 and manufacture as per WHO guidelines. It is a GMP Certified Unit with a total quality management and In-house Testing Laboratory.

We are progressively focusing on high growth potential segments like Vaccines and Biogenetics which will add new depths to our existing product pipeline.



PRODUCT CATEGORY

CARDIO- VASCULAR

ANTI-DIABETIC

ANTI - BIOTICS

HEALTH SUPPLEMENT

ANTI-INFLAMMATORY

SYRUPS/DROPS

GASTRIC

DUSTING POWDER

CREAM/OITMENTS

INJECTIBLES

HIV

NEURO/ONCOLOGY

MISCELLENEOUS

GYNAECOLOGY



INJECTIONS/INFUSIONS



ARTESUNATE-60




Each vial contains: Artesunate IP 60 MG (with wfi 5ML & Sodium Bicarbonate 1ML)

Packing :1X60 MG Vial

Indication :This medication is an antimalarial agent, prescribed for malaria.

ARTESUNATE-120



Each vial contains: Artesunate IP 120 MG (with wfi 5ML & Sodium Bicarbonate 1ML)

Packing :1X120 MG Vial

Indication :This medication is an antimalarial agent, prescribed for malaria.

BUSCOPRIME - 10



Each ml contains : Hyoscine Butylbromide IP 10 MG

Packing : 5X1 ML

Indication : Hyoscine belongs to the group of medications called antispasmodics. Hyoscine is used to relieve smooth muscle spasms (cramps) in the stomach and intestines and in the bladder and urethra. Hyoscine reduces spasms by relaxing smooth muscles within the stomach, intestines, bladder and urethra.

PRIME CORT -40



Each 1 ml contains :
Triamcinolone Acetonide IP
40 MG

Packing : 30X1X1ML

Indication :

Triamcinolone is a topical steroid. It reduces the actions of chemicals in the body that cause inflammation, redness, and swelling. Triamcinolone topical is used to treat the inflammation caused by a number of conditions such as allergic reactions, eczema, and psoriasis.

CLINDA PRIME - 300



Each ml contains: Clindamycin Phosphate IP 150 MG

Packing : 10X1X2ML

Indications : This medication is used to treat acne. It helps to decrease the number of acne lesions. Clindamycin is an antibiotic which works by stopping the growth of bacteria.

CLINDA PRIME - 600



Each ml contains: Clindamycin Phosphate IP 150 MG

Packing : 10X1X4 ML

Indications : This medication is used to treat acne. It helps to decrease the number of acne lesions. Clindamycin is an antibiotic which works by stopping the growth of bacteria.



PRIME. D3 - 3 LAC



Each ml contains : Cholecalciferol 300000 IU

Packing : 10X5X1 ML

Indication : Vitamin D (ergocalciferol-D2, cholecalciferol-D3, alfalcidol) is a fat-soluble vitamin that helps your body absorb calcium and phosphorus. Having the right amount of vitamin D, calcium, and phosphorus is important for building and keeping strong bones.

PRIME. D3 - 6 LAC



Each ml contains : Cholecalciferol 600000 IU

Packing : 10X5X1 ML

Indication : Vitamin D (ergocalciferol-D2, cholecalciferol-D3, alfalcidol) is a fat-soluble vitamin that helps your body absorb calcium and phosphorus. Having the right amount of vitamin D, calcium, and phosphorus is important for building and keeping strong bones.

PRIMEVIR -250



Each vial contains : Acyclovir Sodium eq. to Acyclovir 250 MG with WFI

Packing : 25X1X250mg

Indication : This medication is used in certain people to treat outbreaks of herpes simplex infection of the skin (e.g., genitals), mucous membrane areas (e.g., mouth, nose), or brain. It is also used in certain people to treat shingles infection.

PRIMEVIR -500



Each vial contains : Acyclovir Sodium eq. to Acyclovir IP 500 MG with WFI

Packing : 25X1X500mg

Indication : This medication is used in certain people to treat outbreaks of herpes simplex infection of the skin (e.g., genitals), mucous membrane areas (e.g., mouth, nose), or brain. It is also used in certain people to treat shingles infection.

PRIMEZOLE



Each vial contains : Esomeprazole Sodium IV 40MG

Packing : 40MG

Indication : The primary uses of esomeprazole are gastroesophageal reflux disease, treatment and maintenance of erosive esophagitis, treatment of duodenal ulcers caused by H. pylori, prevention of gastric ulcers in those on chronic NSAID therapy, and treatment of gastrointestinal ulcers associated with Crohn's disease.

MOXY-PRIME CV1.2



Each vial contains : Amoxicillin 1000 MG + Clavulanic 200 MG

Packing : 1.2 GM

Indication : Amoxicillin is a penicillin antibiotic that fights bacteria. Amoxicillin is used to treat many different types of infection caused by bacteria, such as tonsillitis, bronchitis, gonorrhea and infection of ear, nose, throat, skin, or urinary tract.

PRIMESUCRO



Each ml contains : Ferric Hydroxide in Complex with Sucrose eq. to Elemental Iron 20 M

Packing : 10x1x5 ml

Indication : Treat the iron deficiency

LEVETIPRIME-500



Each 5 ml contains: Levetiracetam IP 500 MG

Packing : 1X5 ML

Indication : It is a medication used to treat epilepsy. It is used for partial onset, myoclonic, or tonic-clonic seizures. It is the S-enantiomer of etiracetam.

CORTIPRIME -100




Composition : Each vial

Contains : Hydrocortisone Sodium Succinate IP 100 MG

Packing : 25X1X100MG

Indication : Hydrocortisone is a topical steroid. It reduces the actions of chemicals in the body that cause inflammation, redness and swelling.



PROGESTEPRIME - 250



Each vital contains Hydroxyprogesterone 250 Mg Inj
Packing :10X1X2 MI Ampoules
Indication :Hydroxyprogesterone is used to lower the risk of delivering a baby too early. Hydroxyprogesterone may also be used to treat amenorrhea (lack of menstruation), advanced uterine cancer, and abnormal bleeding due to an imbalance of the hormones.

PROGESTEPRIME - 500



Each vital contains Hydroxyprogesterone 500 Mg Inj
Packing :10X1X2 MI Ampoules
Indication :Hydroxyprogesterone is used to lower the risk of delivering a baby too early. Hydroxyprogesterone may also be used to treat amenorrhea (lack of menstruation), advanced uterine cancer, and abnormal bleeding due to an imbalance of the hormones.

PRIMEXONE - 500 MG



Each vial contains : Ceftriaxone Sodium IP 500 MG
Packing : 1X500 MG
Indication : Ceftriaxone (ceftriaxone sodium and dextrose) Injection is an antibacterial drug used to treat conditions such as lower respiratory tract infections, skin and skin structure infections, urinary tract infections, pelvic inflammatory disease, bacterial septicemia, bone and joint infections, and meningitis.

PRIMEXONE - 1000 MG



Each vial contains : Ceftriaxone Sodium IP 1000 MG
Packing : 1X1000 MG
Indication : Ceftriaxone (ceftriaxone sodium and dextrose) Injection is an antibacterial drug used to treat conditions such as lower respiratory tract infections, skin and skin structure infections, urinary tract infections, pelvic inflammatory disease, bacterial septicemia, bone and joint infections, and meningitis.



LIGNOPRIME - A



Each vial contain : Lignocaine 2 % + Adrenaline
Packing : 1x30 ml
Indication : Local Anaesthesia by infiltration or nerve block injection.

CEFEPRIIME



Each vial contains : Cefepime Hydrochloride IP 1000 MG
Packing : 1X1GM
Indication : Cefepime is used to treat a wide variety of bacterial infections. This medication belongs to a class of drugs known as cephalosporin antibiotics. It works by stopping the growth of bacteria.

LINCOPRIME - 300



Each ml contains :
Lincomycin Hcl IP 300 MG
Packing : 2ML
Indication : Lincomycin is used to treat severe bacterial infections in people who cannot use penicillin antibiotics. Lincomycin is used only for a severe infection. This medicine will not treat a viral infection such as the common cold or flu.

DICLOPRIME-AQ

DICLOPRIME-AQ



Each ml contains : Diclofenac 75 MG with Water Base
Packing : 10X5X1 ML

Indication : Diclofenac is used to relieve pain, swelling (inflammation), and joint stiffness caused by arthritis. Reducing these symptoms helps you do more of your normal daily activities.

DICLOPRIME



Each ml contains : Diclofenac 25 MG
Packing : 10X5X3 ML

Indication : Diclofenac is used to relieve pain, swelling (inflammation), and joint stiffness caused by arthritis. Reducing these symptoms helps you do more of your normal daily activities.

OMEPRIME-40 MG



Each vial contains: Omeprazole Sodium IP 40 MG (with W.F.I)
Packing : 1X40 MG

Indications : It used to treat symptoms of gastroesophageal reflux disease(GERD) and other conditions caused by excess stomach acid. Omeprazole is also used to promote healing of erosive esophagitis (damage to your esophagus caused by stomach acid).

PRIMENOM-5 MG



Each vital contains Metoclopramide Hydrochloride IP 5 MG + Benzyl Alcohol IP 1.5% w/v
Packing : 10X2 ML Ampoules

Indication : It is used mostly for stomach and esophageal problems. It is used to treat and prevent nausea, vomiting and treat migraine headaches.

ARTEPRIME-40



Each vital contains Artemether-40 MG/ML
Packing : 10X8X1 MI

Indication : Artemether should be used for the treatment of severe falciparum malaria only where there is evidence that the antimalarial efficacy of quinine is declining.

ARTEPRIME-80



Each vital contains Artemether-80 MG/ML
Packing : 10x3x1 MI

Indication : Artemether should be used for the treatment of severe falciparum malaria only where there is evidence that the antimalarial efficacy of quinine is declining.

ONDAPRIME



Each ml contains : Ondansetron Hydrochloride 2 MG

Packing : 10X5X2 ML

Indication : Ondansetron blocks the actions of chemicals in the body that can trigger nausea and vomiting. Ondansetron is used to prevent nausea and vomiting that may be caused by surgery or by medicine to treat cancer (chemotherapy or radiation).

PANTAPRIME-IV



Each vial contains: Sterile Pantoprazole Sodium 40 MG

Packing : 25X1X40MG

Indication : Dyspepsia, Gastro-Oesophageal Reflux Disease

PANTAPRIME-40




Each vial contains : Pantoprazole Sodium IP 40 MG

Packing : 25X1X40 MG

Indication : Dyspepsia, gastro-oesophageal reflux disease

PRIMEMOL-IV



Each 100ml contains: Paracetamol IP 1000mg

Packing : 1000mg/100ml

Indications : Sytamol Iv 1000 MG

Infusion is used to temporarily relieve fever and mild to moderate pain such as muscle ache, toothache, and backache.

PRIMETAZO 4.5



Each vial contains : Piperacillin Sodium 4 GM + Tazobactam Sodium 0.5 GM

Packing : 4.5GM

Indication : To reduce the development of drug-resistant bacteria and maintain the effectiveness of Piperacillin and Tazobactam for injection and other antibacterial drugs, Piperacillin and Tazobactam for injection should be used only to treat or prevent infections that are proven or strongly suspected to be caused by bacteria



MEROPRIME-500 MG



Each vial contains : Sterile Meropenem IP 500 MG

Packing : 1X500MG

Indication : Meropenem is used to treat severe infections of the skin or stomach. Meropenem is also used to treat bacterial meningitis (infection of brain or spinal cord). Meropenem may also be used for purposes not listed in this medication guide.

MEROPRIME-1 GM



Each vial contains : Sterile Meropenem IP 1 GM

Packing : 1X1GM

Indication : Meropenem is used to treat severe infections of the skin or stomach. Meropenem is also used to treat bacterial meningitis (infection of brain or spinal cord). Meropenem may also be used for purposes not listed in this medication guide.

PRIMESOLONE-1



Each ml contains : Methylprednisolone Acetate 40 MG

Packing : 30X1X1ML

Indication : Methylprednisolone is a steroid that prevents the release of substances in the body that cause inflammation. Methylprednisolone is used to treat many different conditions such as allergic disorders, skin conditions, ulcerative colitis, arthritis, lupus, psoriasis, or breathing disorders.

PRIMESOLONE-2



Each ml contains : Methylprednisolone Acetate 40 MG

Packing : 30X1X2ML


Indication : Methylprednisolone is a steroid that prevents the release of substances in the body that cause inflammation. Methylprednisolone is used to treat many different conditions such as allergic disorders, skin conditions, ulcerative colitis, arthritis, lupus, psoriasis, or breathing disorders.

TORSEPRIME




Each ml contains : Torsemidate USP 10MG (water for injection ip)
Packing : 5x2ml
Indication : Torsemidate is used to reduce extra fluid in the body (edema) caused by conditions such as heart failure, liver disease, and kidney disease.

TRANEXAPRIME-500




Each 5 ml contains : Tranexamic Acid 500 INJ
Packing : 10X5X5 ML
Indication : Tranexamic acid belongs to the class of medications called antifibrinolytic agents. This medication is used to prevent or reduce bleeding in certain conditions, such as dental surgery in people with hereditary blood clotting disorders, cervical surgery, heavy menstrual bleeding, nose bleeds and bleeding inside the eye.

VANCOPRIME-500 MG



Each vial contains : Vancomycin Hcl 500 MG
Packing : 500MG
Indication : Vancomycin is used to treat an infection of the intestines caused by Clostridium difficile, which can cause watery or bloody diarrhea. It is also used to treat staph infections that can cause inflammation of the colon and small intestines.

VANCOPRIME-1GM



Each vial contains : Vancomycin Hcl 1000 MG
Packing : 1GM
Indication : Vancomycin is used to treat an infection of the intestines caused by Clostridium difficile, which can cause watery or bloody diarrhea. It is also used to treat staph infections that can cause inflammation of the colon and small intestines.





SKIN CARE PRODUCTS



LOTIONS

CREAMS

OINTMENTS

ISOPRIME-5



Each soft gelatin capsule contains :
Isotretinoin 5 MG
Packing : 10X1X10CAP

ISOPRIME-10



Each soft gelatin capsule contains :
Isotretinoin 10 MG
Packing : 10X1X10CAP

ISOPRIME-20

Each soft gelatin capsule contains :
Isotretinoin 20 MG
Packing : 10X1X10CAP



ISOPRIME-30

Each soft gelatin capsule contains :
Isotretinoin 30 MG
Packing : 10X1X10CAP



ISOPRIME-40

Each soft gelatin capsule contains :
Isotretinoin 40 MG
Packing : 10X1X10CAP




Indication : This medication is used to treat severe cystic acne (also known as nodular acne) that has not responded to other treatment (e.g., benzoyl peroxide or clindamycin applied to the skin or tetracycline or minocycline taken by mouth). It belongs to a class of drugs known as retinoids.




FIGHTS SKIN INFECTIONS

CLOBEPRIME-GM



COMPOSITION : Clobetasol propionate 05% , Neomycin sulphate 0.5% Clotrimazole 1.0% Chlorocresol 0.1% w/w Cream
Packing : 24X1X10 GM
Indication : Clojohn-GM is used in the treatment of skin infections.

DERMIPRIME-K5




COMPOSITION : Ketoconazole, Neomycin Sulphate, Iodochlorhydroxyquinoline, Tolnaftate & Clobetasol Propionate Cream
Packing : 24X1X15 GM
Indication : This cream is used in the treatment of skin infections.

PRIMESCAB

Permethrin 5% Cream
Packing : 1X30 GM
Indications : It is an effective anti-parasitic medicine used to treat infestation of lice, ticks, fleas and mites on the scalp and the skin. It is also used to treat scabies in adults and children. It is used externally on the skin in the form of a cream, ointment, gel etc.



LIGNOPRIME-2% GEL



Lignocaine Hydrochloride IP 2.0% w/w
Packing : 1X30 GM
Indication : Lignocaine 2% Gel is an anaesthetic gel used as a lubricant for the insertion of instruments for medical procedures, such as catheters, and for the treatment of symptoms of painful inflammation of the urethra and bladder.



For Faster
RELIEF

DICLOPRIME-GEL



Linseed Oil BP 3.0%w/w + Diclofenac Diethylamine BP 1.16% w/w + Methyl Salicylate IP 10.0% w/w + Menthol IP 0.5 % w/w gel + Benzylalcohol 1.0% w/w

Packing : 20X1X30 GM

Indication : Used to relieve pain associated with recent muscle or joint injuries such as sprains, strains, or sports injuries.

DICLOPRIME SPRAY



Diclofenac Diethylamine 1.16% + Methyl Salicylate IP 10.00%, Diclofenac Sodium 1% 100 w/w, Linseed Oil BP 3.00% w/w, Menthol IP 5.00% w/w, Propellant 9.5% 100 w/w

Packing : 6X1X55 GM

Indication : Used to relieve pain associated with recent muscle or joint injuries such as spr

Live a
PAIN-FREE
Life




PRIMEFAST
Pain Relief Gel

Linseed Oil BP 3.0%w/w + Diclofenac Diethylamine BP 1.16% w/w + Methyl Salicylate IP 10.0% w/w + Menthol IP 5.0% w/w Gel (30gm) + Benzylalcohol 1.0% w/w



- ✓ Relaxes muscle immediately
- ✓ Relieves inflammation fast
- ✓ Prompt relief with long action
- ✓ Effective relief from muscle spasms

MAKE YOUR LIFE EASY WITH FASTACE GEL



- Swelling
- Itching
- Redness

PRIME-BACT



Mupirocin IP 2.0% w/w
Packing : 25X1X5 GM
Indication : Mupirocin is used as a topical treatment for bacterial skin infections, for example, furuncle, impetigo, open wounds, which are typically due to infection by Staphylococcus aureus or Streptococcus pyogenes.

CORTI-PRIME



Hydrocortisone Acetate 1% w/w Cream
Packing : 20X1X15 GM
Indication : This medication is used to treat a variety of skin conditions (e.g., eczema, dermatitis, allergies, rash). Hydrocortisone acetate reduces the swelling, itching, and redness that can occur in these types of conditions

LULIPRIME

SKIN TREATMENT

Cream | Soap | Lotion
(Luliconazole 1%)

PREVENTS
Fungal Growth



Athlete's Foot (Tinea Pedis)

Joint Itching (Tinea Cruris)

Ringworm (Tinea Corporis)

- ✓ Luvius is an imidazole anti fungal agent
- ✓ It is approved by USFDA for the treatment of Tinea Pedis, Tinea Corporis and Tenia Cruris





DISCOVER
the beauty
WITHIN


PRIMELUM

Podophyllum Resin 20 % W/v
+Benzoin Ip 10% W/v + Aloes Ip 2%W/v+
Ethanol Ip 95%w/v+ Methanol Ip 5.0% W/v Gel
Packing :1X10ML
Indication : Podolium Paint Lotion is used for
Soft genital warts, Genital warts, Freckles, Acne,
Burns, Lentigines, Microbial infection on living
surface, Canker sores, Arterial ulcers, Abrasions
and other conditions.



PRIMESCAB LOTION

Each 100ml contain:GammaBenzene HCL+ Cetrimide lotion
Packing : 100ML
Indication : Lindane , formerly known as gamma
benzene hexachloride, is an insecticide and is used
to treat scabies and lice infestations. Lindane cream
and lotion are usually used to treat only scabies infestation.
Lindane shampoo is used to treat only lice infestations. .



SKINCLEAR



Hydroquinone USP 2.0% w/w + Tretinoin BP 0.025% w/w +
Mometasone IP 0.1% w/w
Packing : 12X1X15 GM
Indication : Fairness and skin glow

Tougher Treatment for tough infections

CLOTRIPRIME POWDER



Composition : Clotrimazole Powder 1 % w/w

Packing : 1X100GM

Indication : Clotrimazole is an anti-fungal medication used to treat yeast infections of the vagina, skin, and mouth. It is commonly used for athlete's foot, jock itch and oral thrush.

TERBIRIPRIME POWDER



Composition : Terbinafine Hydrochloride (Dusting powder) 1% w/w

Packing : 1X50 GM

Indication : Terbijnohn Dusting Powder is used to treat a wide range of fungal infections of the skin and nails, including ringworm. It works by killing the fungus that causes the infection.

ITRAPRIME POWDER

Composition : Itraconazole Dusting Powder

Packing : 1X75 GM

Indication : Itrajohn Dusting Powder is an antifungal medicine. It may be used to treat infections such as ringworm, athlete's foot, fungal nappy rash, and fungal sweat rash.



How To Get Rid Of
Hair Problems?



MINOXIPRIME

2%



5%

10%

F

MINOXIPRIME : Minoxidil Topical Solution USP 2% , 5% , 10%
MINOXIPRIME - F : Minoxidil IP 5% & Finasteride IP 0.1% Topical Solution

Indications :Minoxidil is indicated in the treatment of androgenic alopecia in males and females and stabilisation of hair loss in patients with androgenic alopecia, and also of alopecia areata.



Direction of use: Use this solution (1 ml) twice a day on clean and dry scalp. After applying, gently massage your scalp. Keep your hair dry for at least four hours after application.

Great Results



KETOPRIME CT



Composition : Ketoconazole IP 2% W/W Cetrime IP 0.5% W/W
Packing : 1X75GM

Indication : ketoconazole provides relief from itching skin folds of inner thighs, waist, buttocks, underside of breast & armpits due to sweat retention, warmth, humidity, friction & simultaneous growth of resident organism

KETOPRIME SOAP



Composition : Ketoconazole IP 1% W/W Zinc Pyrithione IP 1% Pyrithione IP 1% W/W
Packing : 1X75GM

Indication : Ketoconazole topical is an antifungal medication that prevents fungus from growing on your skin. Ketoconazole topical is used to treat fungal infections of the skin such as athlete's foot, jock itch, ringworm, and seborrhea (dry, flaking skin).

PURENEEM SOAP



Neem + Tulsi + Aloe Vera

Packing : 1X75GM

Indication : Neem oil soap is a real treat for the skin, even for healthy skin. But skin problems are where it shines. Here are just some skin conditions where people have used neem soaps for centuries and with great results.

LULIPRIME SOAP




Composition : Luliconazole 0.1% w/w soap

Packing : 1X75 GM

Indication : Luliconazole is used to treat skin infections such as athlete's foot, jock itch, and ringworm. It is an antifungal that works by preventing the growth of the fungus. It used to treat skin infections such as athlete's foot, jock itch, and ringworm.

A TRUE PASSION FOR BETTER HEALTHCARE



WorldPrime
EXPORT LLP

MileStone, Near Zanzarda Cross Road, Junagadh 362001. Gujarat (INDIA)
Cell. +91 8866197888, +91 8866196888
Email:-worldprimeexport@gmail.com